

ERBIUM DOPED FIBER LASERS

Graduate Internship Program
University of Oregon

16 Aug. 2013

Neil McIntyre and Ian McNee

Outline

- Introduction and Background
 - Goals
 - Purpose
 - What is a laser? How does it work?
- Single Clad Erbium Doped Fiber Laser (SC-EDFL)
- Dual clad Erbium Doped Fiber Laser (DC-EDFL)
- Single clad data and analysis
- Dual clad data and analysis
- Boxed laser results

Intro


Goals

- Construct a SC-EDFL
- Construct a DC-EDFL
- Box the DC-EDFL

Purpose


- Greater understanding of laser systems
- Uses:
 - Telecommunications
 - Spectroscopy

What is a laser? How does it work?




Erbium Doped Fiber Laser

- Erbium doped gain medium
- Ring laser
- Continuous wave




Single Clad Setup




Single Clad Setup

Wavelength Tuner




Dual Clad Laser System


- Extra cladding allows propagation of more modes
- Means greater pump power to the gain medium
- Leads to greater power output than single clad system




Dual Clad Setup




SC Tuning Capabilities



SC Threshold Data




SC Max Power




Dual Clad Results

- Unable to construct DC-EDFL
- Dual-clad fiber geometry has a major effect on transmission properties.
- Connectorizing and splicing fibers caused major power loss

Boxed Single Clad Laser




Boxed Single Clad Laser



Boxed vs. SC Results

Threshold





Future Work

- Solve dual clad issues
- Make FBG box
- Install fan or other temperature control device for boxed laser

Questions?

Fiber Bragg Grating




Wavelength Division Multiplexer

- Fibers inside WDM wrapped in a way to allow the evanescent transfer of one wavelength but not the other



Optical Circulator

- Loss from 1 to 2 and 2 to 3 is small. Loss from 3 to 2 and 2 to 1 is large.
- Acts as an optical isolator (restricts propagation of light to one direction)



Spectroscopy

- Study of the interaction of matter and light
- Used to find:
 - Material absorption
 - Material emission
 - Atomic spectral lines